COLORIFICIO ADRIATICO SRL			Revision nr. 3 Dated 14/09/2017	
	3510 - KEB	ANA CLASSICO	Printed on 14/09/2017 Page n. 1/12	
		Safety data sheet		
SECTION 1. Identi	fication of the sub	stance/mixture and of the company/und	dertaking	
1.1. Product identifier				
Code: Product name		3510 KEBANA CLASSICO		
1.2. Relevant identified u Intended use	ises of the substance or n DECORATIVE PLAST	nixture and uses advised against ER		
1.3. Details of the supplier of the safety data sheet Name COLORIFICIO ADRIATICO SRL Full address VIA PILONE. 82				
District and Country		VIA PILONE, 82 61030 LUCREZIA DI CARTOCETO (PU) ITALIA		
		Tel. 0039 0721 897100		
		Fax 0039 0721 899596		
e-mail address of the comp		toons@oolerificiondriction.it		
responsible for the Safety Product distribution by:	Data Sheet	tecno@colorificioadriatico.it Colorificio Adriatico srl		
1.4. Emergency telephone numberFor urgent inquiries refer to0039 0721 897100 da lunedì a venerdì, ore 8-12 14-180039 0721 897100 Monday to Friday, 8-12 / 14-18			8	
SECTION 2. Hazar	ds identification			
2.1. Classification of the	substance or mixture			
The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments. Hazard classification and indication:				
2.2. Label elements				
Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.				
Hazard pictograms:				
Signal words:				
Hazard statements:				
EUH210 EUH208				
1,2 benzisotiazol-3(2H)-one			,,	
	May produce an allergic re	action.		

3510 - KEBANA CLASSICO

Revision nr. 3

Dated 14/09/2017

Printed on 14/09/2017 Page n. 2/12

Precautionary statements:

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

--

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

The full wording of hazard (H) phrases is given in section 16 of the sheet.				
Identification	x = Conc. %	Classification 1272/2008 (CLP)		
ETHANOLAMINE		()		
CAS 141-43-5	$0 \le x < 0.5$	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, STOT SE 3 H335		
EC 205-483-3				
INDEX 603-030-00-8				
BIT _ 1,2 benzisotiazol-3(2H)-one				
CAS 2634-33-5	0 ≤ x < 0.05	Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411		
EC 220-120-9				
INDEX 613-088-00-6				
CIT/MIT 3:1 Massa di reazione di: 5-cloro-2-metil- 2H-isotiazol-3-one [EC no. 247-500-7]; 2-metil-2H- isotiazol-3-one				
CAS 55965-84-9	0≤x< 0.0015	Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B H314, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1		
EC 220-239-6				

INDEX 613-167-00-5

SECTION 4. First aid measures

4.1. Description of first aid measures

Revision nr. 3

3510 - KEBANA CLASSICO

Dated 14/09/2017

Printed on 14/09/2017 Page n. 3/12

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak. UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water.

Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire, if it is safe to do so.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

3510 - KEBANA CLASSICO

Revision nr. 3

Dated 14/09/2017 Printed on 14/09/2017

Page n. 4/12

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Revision nr. 3

3510 - KEBANA CLASSICO

Dated 14/09/2017

Printed on 14/09/2017 Page n. 5/12

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

GBR ITA EU	United King Italia OEL EU TLV-ACGII	-	Decreto I Directive	Legislativo 9 (EU) 2017/ 2004/37/E0		n.81 2009/161/E	EU; Directive 2006/15/E Directive 91/322/EEC.	:C;
ETHANOLA								
Threshold I	_imit Value							
Туре		Country	TWA/8h		STEL/15min			
			mg/m3	ppm	mg/m3	ppm		
WEL		GBR	2.5	1	7.6	3	SKIN	
VLEP		ITA	2.5	1	7.6	3	SKIN	
OEL		EU	2.5	1	7.6	3	SKIN	

15

6

3

Legend:

TLV-ACGIH

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

7.5

TLV of solvent mixture: 7.5 mg/m3

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Revision nr. 3 Dated 14/09/2017

3510 - KEBANA CLASSICO

Printed on 14/09/2017

Page n. 6/12

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

3510 - KEBANA CLASSICO

Revision nr. 3

Dated 14/09/2017

Printed on 14/09/2017 Page n. 7/12

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile,chloroepoxypropane,chlorosulphuric acid,hydrogen chloride,iron-sulphur compounds,acetic acid,acetic anhydride,mesityl oxide,nitric acid,sulphuric acid,strong acids,vinyl acetate,cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE Avoid exposure to: air,sources of heat.

10.5. Incompatible materials

ETHANOLAMINE Incompatible with: iron,strong acids,strong oxidants.

10.6. Hazardous decomposition products

ETHANOLAMINE May develop: nitric oxide,carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

 Metabolism, toxicokinetics, mechanism of action and other information

 Information not available

 Information on likely routes of exposure

 Information not available

 Delayed and immediate effects as well as chronic effects from short and long-term exposure

 Information not available

 Information not available

 Information not available

 Information not available

 Interactive effects

 Information not available

 ACUTE TOXICITY

 LC50 (Inhalation) of the mixture:Not classified (no significant component)

 LD50 (Oral) of the mixture:Not classified (no significant component)

Revision nr. 3

Page n. 8/12

3510 - KEBANA CLASSICO

Dated 14/09/2017

Printed on 14/09/2017

LD50 (Dermal) of the mixture:Not classified (no significant component)

CIT/MIT 3:1 Massa di reazione di: 5-cloro-2-metil-2H-isotiazol-3-one [EC no. 247-500-7]; 2-metil-2H-isotiazol-3-one 550 mg/kg LD50 (Oral)

 SKIN CORROSION / IRRITATION

 Does not meet the classification criteria for this hazard class

 SERIOUS EYE DAMAGE / IRRITATION

 Does not meet the classification criteria for this hazard class

 RESPIRATORY OR SKIN SENSITISATION

 May produce an allergic reaction.Contains:CIT/MIT 3:1 Massa di reazione di: 5-cloro-2-metil-2H-isotiazol-3-one

 BIT _ 1,2 benzisotiazol-3(2H)-one

 GERM CELL MUTAGENICITY

 Does not meet the classification criteria for this hazard class

 CARCINOGENICITY

 Does not meet the classification criteria for this hazard class

 CARCINOGENICITY

 Does not meet the classification criteria for this hazard class

 CARCINOGENICITY

 Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class STOT - SINGLE EXPOSURE Does not meet the classification criteria for this hazard class STOT - REPEATED EXPOSURE Does not meet the classification criteria for this hazard class ASPIRATION HAZARD Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers. **12.1. Toxicity**

CIT/MIT 3:1 Massa di reazione di: 5-cloro-2-metil- 2H-isotiazol-3-one [EC no. 247-500-7]; 2-metil-2H- isotiazol-3-one	
LC50 - for Fish	0.58 mg/l/96h
EC50 - for Crustacea	1.02 mg/l/48h Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	0.188 mg/l 72 ore
BIT _ 1,2 benzisotiazol- 3(2H)-one	
LC50 - for Fish	1.6 mg/l/96h
EC50 - for Crustacea	3.27 mg/l/48h
12.2. Persistence and degradability	
ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly biodegradable	
12.3. Bioaccumulative potential	

3510 - KEBANA CLASSICO

Revision nr. 3

Dated 14/09/2017

Printed on 14/09/2017 Page n. 9/12

ETHANOLAMINE				
Partition coefficient: n- octanol/water	-2.3			
12.4. Mobility in soil				
ETHANOLAMINE				
Partition coefficient: soil/water	-0.5646			
12.5. Results of PBT and vPvE	3 assessment			
On the basis of available data, the	product does not contain any PE	BT or vPvB in percentage	e greater than 0,1%.	
12.6. Other adverse effects				
Information not available				
SECTION 13. Disposa	I considerations			
13.1. Waste treatment method	s			
Reuse, when possible. Neat produ	uct residues should be considered	ed special non-hazardous	waste.	

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

COLORIFICIO ADRIATICO SRL	Revision nr. 3
	Dated 14/09/2017
3510 - KEBANA CLASSICO	Printed on 14/09/2017
	Page n. 10/12

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisarion (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

3510 - KEBANA CLASSICO

Revision nr. 3

Page n. 11/12

Dated 14/09/2017

Printed on 14/09/2017

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

LEGEND:

ADR: European Agreement concerning the carriage of Dangerous goods by Road
 CAS NUMBER: Chemical Abstract Service Number

3510 - KEBANA CLASSICO

Revision nr. 3

Page n. 12/12

Dated 14/09/2017

Printed on 14/09/2017

CE50: Effective concentration (required to induce a 50% effect) CE NUMBER: Identifier in ESIS (European archive of existing substances) CLP: EC Regulation 1272/2008 DNEL: Derived No Effect Level EmS: Emergency Schedule GHS: Globally Harmonized System of classification and labeling of chemicals IATA DGR: International Air Transport Association Dangerous Goods Regulation IC50: Immobilization Concentration 50% IMDG: International Maritime Code for dangerous goods IMO: International Maritime Organization INDEX NUMBER: Identifier in Annex VI of CLP LC50: Lethal Concentration 50% LD50: Lethal dose 50% OEL: Occupational Exposure Level PBT: Persistent bioaccumulative and toxic as REACH Regulation PEC: Predicted environmental Concentration PEL: Predicted exposure level PNEC: Predicted no effect concentration REACH: EC Regulation 1907/2006 RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TWA STEL: Short-term exposure limit TWA: Time-weighted average exposure limit VOC: Volatile organic Compounds vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation WGK: Water hazard classes (German). GENERAL BIBLIOGRAPHY 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament 4. Regulation (EU) 2015/830 of the European Parliament 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament - The Merck Index. - 10th Edition - Handling Chemical Safety INRS - Fiche Toxicologique (toxicological sheet) Patty - Industrial Hygiene and Toxicology N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition IFA GESTIS website ECHA website Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy Note for users: The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products. Changes to previous review: The following sections were modified: 02 / 03 / 08 / 11 / 12 / 15.